




Lokong Bearing Co., Ltd.



HR40KBE42+L / 40KBE42+L Double Row Tapered Roller Bearing 40x80x45mm

Bearing No. NK8/12

NK8/12 Bearing 2D drawings and 3D CAD models

Size	8x15x12 mm
Bore Diameter	8 mm
Outer Diameter	15 mm
Width	12 mm
Fw	8 mm
D	15 mm
C	12 mm
r5 min.	0,3 mm
Weight	0,011 Kg
Basic dynamic load rating (C)	4,57 kN
Basic static load rating (C0)	4,89 kN
(Grease) Lubrication Speed	26000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.014
EAN	0060579021820
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No



Lokong Bearing Co., Ltd.

Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	8MM Bore; 15MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; No
Other Features	Outer Ring with 2 Retaining Rings Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	NK8/12
Weight / LBS	0.024
Outside Diameter	0.591 Inch 15 Millimeter
Width	0.472 Inch 12 Millimeter
Bore	0.315 Inch 8 Millimeter
Bearing No.	NK8/12
rs(min)	0.3
Cr	4.57
C0r	4.89
Cu	0.740
Grease lub.	26000



Lokong Bearing Co., Ltd.

Oil lub.	41000
(Refer.) Mass(kg)	0.011